

Applying Hot Fix 5 for Sage SalesLogix Version 7.5.1

Version 7.5.1.5

Developed by Sage SalesLogix User Assistance



Your business in mind.

Applying Hot Fix 5 for Sage SalesLogix Version 7.5.1

Documentation Comments	This documentation was developed by Sage SalesLogix User Assistance. For content revisions, questions, or comments, contact the writers at saleslogix.techpubs@sage.com .
Copyright	Copyright © 1997-2009, Sage Software, Inc. All Rights Reserved. This product and related documentation are protected by copyright and are distributed under licenses restricting their use, copying, distribution, and decompilation. No part of this product or related documentation may be reproduced in any form by any means without prior written authorization of Sage Software and its licensors, if any.
Version	Version 7.5.1.5 2009
Trademarks	SalesLogix is a registered trademark of Sage Software, Inc. Other product names may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.
Disclaimer	Sage Software has thoroughly reviewed this manual. All statements, technical information, and recommendations in this manual and in any guides or related documents are believed reliable, but the accuracy and completeness thereof are not guaranteed or warranted, and they are not intended to be, nor should they be understood to be, representations or warranties concerning the products described. Sage Software assumes no responsibility or liability for errors or inaccuracies with respect to this publication or usage of information. Further, Sage Software reserves the right to make changes to the information described in this manual at any time without notice and without obligation to notify any person of such changes.
Technical Support	<p>Technical Support is available to customers with support contracts directly from Sage Software and to Certified Business Partners. Calls are answered during business hours, Monday through Friday, excluding holidays. Current contact information is available on the Sage SalesLogix Web site. Customers with a valid technical support contract and a Web access code can request technical support electronically on the Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site.</p> <p>Sage SalesLogix Web site www.saleslogix.com Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site http://www.sagesoftwareonline.com</p> <p>Revisions to this book are posted on the Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site. Check this site regularly for current Sage SalesLogix product documentation.</p>

Applying Hot Fix 5 for Sage SalesLogix Version 7.5.1

This hot fix addresses the following issues:

Defect	Description
1-68079	Application Architect: After applying Service Pack 1 and building the Web platform, the following error appears: "The name '_Owner' does not exist in the current context."
1-68080	Application Architect: An error occurs when creating a new relationship, "An application exception has occurred. Value cannot be null. Parameter name: key (mscorlib)."
1-68082	Application Architect: Sort order cannot be set via datagrid.Sort() method.
1-68175	Application Architect: An error occurs when a form is created with no hidden controls and then hidden controls are added, "ControlId is already in use by another control."
1-68208	Web: An error occurs when FLS is enabled on the address entity, "Could not initialize proxy - no Session."

This hot fix requires version 7.5.1. Do not install this hot fix on any other Sage SalesLogix version. Contact your support representative or go to <http://support.saleslogix.com> to obtain the hot fix.

File Information

File Name	File Contents
SLX_v751_HF5.zip	Sage.Platform.dll, Sage.Platform.QuickForms.WebFormGen.dll, Sage.SalesLogix.QuickForms.QFControls.dll, Sage.SalesLogix.Security.dll, Sage SalesLogix v7.5.1 HF5 VFS Upgrade.zip
Sage SalesLogix v7.5.1 HF5 VFS Upgrade.zip	Sage.Platform.dll, Sage.SalesLogix.BusinessRules.dll, Sage.SalesLogix.Security.dll, Addresslist.ascx.cs

Applying the Hot Fix

Apply the patch to all Application Architect computers, and then install the bundle using the Application Architect. Then, build and deploy your Web site.

To apply the patch

1. Close all Sage SalesLogix applications on the computer to which you are applying the hot fix.
2. Extract the contents of the **SLX_v751_HF5.zip** file to a temporary folder.
3. Navigate to the folder where you extracted the hot fix files and double-click **SLX_v751_HF5.exe**.
4. On the **SalesLogix - v7.5.1 Hot Fix 5** screen, select your installation method:
 - **Install the SalesLogix Hot Fix** extracts the hot fix files to a temporary folder and removes the files once the installation is complete.
 - **Extract and Install the SalesLogix Hot Fix** extracts the hot fix files to a location you specify. The files are not removed once the installation is complete. If you choose this option, select a location where you want to store the hot fix files.
5. Click **Next**.
6. On the **Welcome** screen, click **Install**.
7. On the **Completed** screen, click **Finish**.

To install the bundle

1. Copy the **SLX_v751_HF5.zip** to your local machine and unzip it.
2. Copy the **Sage SalesLogix v7.5.1 HF5 VFS Upgrade.zip** bundle to a temporary folder (path name 57 characters or less) on the local machine.

Note: There is a folder path character limitation that requires the path where you save or copy bundles that are created in the Application Architect to be 57 characters or less (including the drive name).
3. Ensure the Windows user has Write permissions to the folder where the bundle will be installed from.

When installing a bundle using Application Architect, the Windows user must have Write permissions to the bundle install folder.
4. Open the Application Architect.
5. From the **Project Explorer**, right-click the project, and then click **Install Bundle**.
6. Browse to the **Sage SalesLogix v7.5.1 HF5 VFS Upgrade.zip** bundle you copied to the local machine, and then click **Open**.
7. On the **Select Bundle** screen, click **Next**.
8. On the **Select Items** screen, ensure the **Portals** check box is selected.
9. Click **Next**, and then click **Finish**.

To build and deploy the Web site

1. In the Project Explorer window, click a project.
2. Press and hold the CTRL key, and then on the **Build** menu, click **Build Web Platform**.

All the files in the entire assembly for the current project are compiled. Status for the build is displayed in the Output Window at the bottom of the Application Architect.
3. On the Application Architect **View** menu, click **Project Explorer**.
4. Expand **Portal Manager**, right-click the applicable portal, and then click **Deploy**.

A status box appears indicating status for the deployment.

By default, the Sage SalesLogix Web Client portal is set to deploy to the localhost, but you can change these settings to fit your environment.

All affected portals should be redeployed. The following portals are affected:

 - Process Host Portal
 - SData Integration Host
 - Sage SalesLogix

-
- Sage SalesLogix Customer Portal
 - Intellisync for SalesLogix
 - SalesLogix Lead Capture
 - Web Reporting Portal