

# Applying Hot Fix 43 for Sage SalesLogix Version 7.5.1

---

Version 7.5.1.43

Developed by Sage SalesLogix User Assistance



*Your business in mind.*

---

# Applying Hot Fix 43 for Sage SalesLogix Version 7.5.1

<b>Documentation Comments</b>	This documentation was developed by Sage SalesLogix User Assistance. For content revisions, questions, or comments, contact the writers at <a href="mailto:saleslogix.techpubs@sage.com">saleslogix.techpubs@sage.com</a> .
<b>Copyright</b>	Copyright © 1997-2009, Sage Software, Inc. All Rights Reserved. This product and related documentation are protected by copyright and are distributed under licenses restricting their use, copying, distribution, and decompilation. No part of this product or related documentation may be reproduced in any form by any means without prior written authorization of Sage Software and its licensors, if any.
<b>Version</b>	Version 7.5.1.43 2009
<b>Trademarks</b>	SalesLogix is a registered trademark of Sage Software, Inc. Other product names may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.
<b>Disclaimer</b>	Sage Software has thoroughly reviewed this manual. All statements, technical information, and recommendations in this manual and in any guides or related documents are believed reliable, but the accuracy and completeness thereof are not guaranteed or warranted, and they are not intended to be, nor should they be understood to be, representations or warranties concerning the products described. Sage Software assumes no responsibility or liability for errors or inaccuracies with respect to this publication or usage of information. Further, Sage Software reserves the right to make changes to the information described in this manual at any time without notice and without obligation to notify any person of such changes.
<b>Technical Support</b>	Technical Support is available to customers with support contracts directly from Sage Software and to Certified Business Partners. Calls are answered during business hours, Monday through Friday, excluding holidays. Current contact information is available on the Sage SalesLogix Web site. Customers with a valid technical support contract and a Web access code can request technical support electronically on the Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site.  Sage SalesLogix Web site <a href="http://www.saleslogix.com">www.saleslogix.com</a> Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site <a href="http://www.sagesoftwareonline.com">http://www.sagesoftwareonline.com</a>  Revisions to this book are posted on the Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site. Check this site regularly for current Sage SalesLogix product documentation.

---

# Applying Hot Fix 43 for Sage SalesLogix Version 7.5.1

---

This hot fix addresses the following issues:

Defect	Description
1-71992	Performance: Page resources are held in session state after request is completed.
1-71993	NHibernate should keep a strong reference to 128 entries, but currently keeps a strong reference to every entry, in addition to the weak reference.

This hot fix requires version 7.5.1 and 7.5.1 Hot Fixes 6, 21, 24 and 38. Do not install this hot fix on any other Sage SalesLogix version. Contact your support representative or go to <http://support.saleslogix.com> to obtain the hot fix.

## File Information

File Name	File Contents
SLX_v751_HF43.zip	Sage SalesLogix v7.5.1 HF43 VFS Upgrade.zip
Sage SalesLogix v7.5.1 HF43 VFS Upgrade.zip	Base.Master, EmailPromptForHistory.aspx.cs, NHibernate.dll, SelectContactId.aspx.cs, SelectLeadId.aspx.cs

## Applying the Hot Fix

Ensure you have applied 7.5.1 Hot Fixes 6, 21, 24 and 38 prior to applying this hot fix. Then, install the bundle using the Application Architect and build and deploy your Web site(s).

**Note** Before installing the bundle, review the files included in the hotfix. Backup any customized files that may be affected, or backup the whole project if there are many files. Then apply the hot fix bundle by manually merging the hotfix items with the customized items.

When merging the Base.Master file in the SLXClient Portal, do not overwrite the version number of the SLXActiveMail.cab in your files with the version included in this hot fix. The -1,-1,-1,-1 causes the SLXActiveMail.cab to download. For example:

```
const string ObjectScript = @"<object id='SEN'  
codebase='SLXActiveMail.cab#version=-1,-1,-1,-1' height='0' width='0'  
classid='clsid:A2CBD67A-F77D-45DF-9621-5F563DAE18FF'></object>
```

### To install the bundle

1. Copy **SLX\_v751\_HF43.zip** to your local machine and unzip it.

**Note** There is a folder path character limitation that requires the path where you save or copy bundles that are created in the Application Architect to be 57 characters or less (including the drive name).

2. Ensure you have **Write** permissions to the bundle installation folder.  
Check permissions on the Security tab in the folder properties.
3. Open the **Application Architect**.
4. In the **Project Explorer**, right-click the project, and then click **Install Bundle**.
5. Browse to the folder where you unzipped the hot fix files, click **Sage SalesLogix v7.5.1 HF43 VFS Upgrade.zip**, and then click **Open**.
6. On the **Select Bundle** screen, click **Next**.
7. On the **Select Items** screen, ensure the **Portals** option is selected.
8. Click **Next**, and then click **Finish**.

### To build and deploy the Web site

1. In the **Project Explorer**, click the project.
2. Press and hold the **CTRL** key, and then on the **Build** menu, click **Build Web Platform**.  
All the files in the entire assembly for the current project are compiled. Status for the build is displayed in the Output Window at the bottom of the screen.
1. On the **View** menu, click **Deployment Explorer**.
2. Expand **Deployments**.
3. Double-click the portal to deploy.
4. Under **Deployment Targets**, right-click the target portal, and click **Deploy Portal**.  
A status box appears indicating status for the deployment.
5. Repeat these steps for each of the affected portals.

**Note** By default, the Sage SalesLogix Web Client portal is set to deploy to the localhost, but you can change these settings to fit your environment.