

# Applying Web Hot Fix Package 08 for Sage SalesLogix Version 7.5.2

---

Version 7.5.2.08

Developed by Sage SalesLogix User Assistance

---

# Applying Web Hot Fix Package 08 for Sage SalesLogix Version 7.5.2

<b>Documentation Comments</b>	This documentation was developed by Sage SalesLogix User Assistance. For content revisions, questions, or comments, contact the writers at <a href="mailto:saleslogix.techpubs@sage.com">saleslogix.techpubs@sage.com</a> .
<b>Copyright</b>	Copyright © 1997-2010, Sage Software, Inc. All Rights Reserved. This product and related documentation are protected by copyright and are distributed under licenses restricting their use, copying, distribution, and decompilation. No part of this product or related documentation may be reproduced in any form by any means without prior written authorization of Sage and its licensors, if any.
<b>Version</b>	Version 7.5.2.08 (Web Package) 2010
<b>Trademarks</b>	SalesLogix is a registered trademark of Sage Software, Inc. Other product names may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.
<b>Disclaimer</b>	Sage has thoroughly reviewed this manual. All statements, technical information, and recommendations in this manual and in any guides or related documents are believed reliable, but the accuracy and completeness thereof are not guaranteed or warranted, and they are not intended to be, nor should they be understood to be, representations or warranties concerning the products described. Sage assumes no responsibility or liability for errors or inaccuracies with respect to this publication or usage of information. Further, Sage reserves the right to make changes to the information described in this manual at any time without notice and without obligation to notify any person of such changes.
<b>Technical Support</b>	<p>Technical Support is available to customers with support contracts directly from Sage and to Certified Business Partners. Calls are answered during business hours, Monday through Friday, excluding holidays. Current contact information is available on the Sage SalesLogix Web site. Customers with a valid technical support contract and a Web access code can request technical support electronically on the Sage SalesLogix SupportOnline/Sage Online Support and Services Web site.</p> <p>Sage SalesLogix Web site <a href="http://www.sagesaleslogix.com">www.sagesaleslogix.com</a> Sage SalesLogix SupportOnline/Sage Online Support and Services Web site <a href="http://www.sagesoftwareonline.com">http://www.sagesoftwareonline.com</a></p> <p>Revisions to this book are posted on the Sage SalesLogix SupportOnline/Sage Online Support and Services Web site. Check this site regularly for current Sage SalesLogix product documentation.</p>

---

# Applying Web Hot Fix Package 08 for Sage SalesLogix Version 7.5.2

---

This hot fix addresses the following issues:

Defect	Description
1-53833	In the Addresses tab grid, more than one address is displayed as the primary address for an account. A user has to refresh the Web page to see the correct addresses.
1-76493	After using the Share Groups feature consecutively to release multiple groups in the Web Client, the share group screen no longer displays.
1-77423	A Web Viewer User cannot add or edit notes in after applying v7.5.2 Web Hot Fix 03.
1-77740	The Web Viewer Read-Only Interceptor cannot throw an exception as an incorrect error is reported if it does.
1-77745	At certain times, activities scheduled for today display in the Activity List view for tomorrow. This appears to depend on the time zone set on the Web server and Web Client machines.
1-77831	An error occurs when attempting to add a contact group to a campaign when the group layout has no address fields.
1-78034	The Activity List view is slow to load when users have hundreds of users in the system.
1-78345	Ad hoc groups cannot be modified by anyone other than the creator of the group.
1-78484	When scrolling through campaigns in the Web Client and viewing the last stage filter under the Targets tab, the filter is not properly refreshing for each campaign.

This hot fix requires version 7.5.2 and all previous Web hot fix packages beginning with 01. Do not install this hot fix on any other Sage SalesLogix version. Contact your support representative or go to <http://support.saleslogix.com> to obtain the hot fix.

## File Information

File Name	File Contents	File Version
SLX_v752_Web_HF08.zip	SLX_v752_Web_HF08.exe	n/a
SLX_v752_Web_HF08.exe	Sage.SalesLogix.Web.dll	7.5.2.2256
	Sage.SalesLogix.Activity.dll	7.5.2.2256
	Sage SalesLogix v7.5.2 Web HF08 VFS Upgrade.zip	n/a

File Name	File Contents	File Version
Sage SalesLogix v7.5.2 Web HF08 VFS Upgrade.zip	ActivityFilters.ascx.cs	n/a
	ContactDetails.main.quickform.xml	n/a
	CampaignTargets.ascx.cs	n/a
	ContactDetails.main.quickform.xml.resx	n/a
	Sage.SalesLogix.Activity.dll	7.5.2.2256
	Sage.SalesLogix.BusinessRules.dll	7.5.2.2256
	Sage.SalesLogix.Client.GroupBuilder.dll	7.5.2.2256
	Sage.SalesLogix.Web.dll	7.5.2.2256

## Applying the Hot Fix

**Ensure you have applied all previous hot fix packages beginning with 7.5.2 Web Hot Fix 01 prior to installing this hot fix:**

- 7.5.2 Web Hot Fix 01
- 7.5.2 Web Hot Fix 02
- 7.5.2 Web Hot Fix 03
- 7.5.2 Web Hot Fix 03b
- 7.5.2 Web Hot Fix 04
- 7.5.2 Web Hot Fix 05
- 7.5.2 Web Hot Fix 06
- 7.5.2 Web Hot Fix 07

Apply the hot fix to all computers where the Application Architect is installed.

### To apply

1. Close all Sage SalesLogix applications on the computer to which you are applying the hot fix.
2. Extract the contents of the **SLX\_v752\_Web\_HF08.zip** file to a temporary folder.
3. Navigate to the folder where you extracted the hot fix files and double-click **SLX\_v752\_Web\_HF08.exe**.
4. On the **SalesLogix - v7.5.2 Web Hot Fix 08** screen, select the **Extract and Install the SalesLogix Hot Fix** option.
 

The hot fix files, including the VFS bundle, are extracted to the location you specify. The files are not removed once the installation is complete.

**Note** Selecting the other option prevents the VFS bundle from being available after the patch is installed, since the files are then deleted.
5. Select the location where you want to store the hot fix files.
 

**Note** There is a folder path character limitation that requires the path where you save or copy bundles that are created in the Application Architect to be 57 characters or less (including the drive name).
6. Click **Next**.
7. On the **Welcome** screen, click **Install**, to install the patch.
8. On the **Completed** screen, click **Finish**.

## Installing the Web Bundle

Install the Web bundle using the Application Architect.

**Note** Before installing the bundle, review the files included in the hot fix. Back up any customized files that may be affected, or back up the whole project if there are many files. Then apply the hot fix bundle in one of the following ways:

- Manually merge the hot fix items with the customized items.
- Apply the bundle (overwriting all existing items), and then manually merge the customized items.

### To install

1. Ensure you have **Write** permissions to the bundle installation folder. Check permissions on the Security tab on the folder properties.
2. Open the **Application Architect**.
3. In the **Project Explorer**, right-click the project, and then click **Install Bundle**.
4. Navigate to the folder where you extracted the hot fix files, click **Sage SalesLogix v7.5.2 Web HF08 VFS Upgrade.zip**, and then click **Open**.
5. On the **Select Bundle** screen, click **Next**.
6. On the **Select Items** screen, ensure the **Portals** option is selected.
7. Click **Next**, and then click **Finish**.

## Building and Deploying the Web Changes

To make your changes available, you must build and deploy the Web portal.

### To build and deploy

1. In the **Project Explorer**, click the project.
2. Press and hold the **CTRL** key, and then on the **Build** menu, click **Build Web Platform**. All the files in the entire assembly for the current project are compiled. Status for the build is displayed in the Output Window at the bottom of the screen.
3. When the build is complete, click **Deployment Explorer** on the **View** menu.
4. Expand **Deployments**.
5. Double-click the portal to deploy.
6. Under **Deployment Targets**, right-click the target portal, and click **Deploy Portal**. A status box appears indicating status for the deployment.
7. Repeat these steps for each of the affected portals.

**Note** By default, the Sage SalesLogix Web Client portal is set to deploy to the localhost, but you can change these settings to fit your environment.