



Applying Web Model Update 07 for Sage SalesLogix Version 8.0

Version 8.0.0.07 Web Model

Developed by Saleslogix User Assistance



Applying Web Model Update 07 for Sage SalesLogix v8.0

Documentation Comments	This documentation was developed by Saleslogix User Assistance. For content revisions, questions, or comments, contact the Saleslogix writers at saleslogix.techpubs@swiftpage.com .
Address	Saleslogix 8800 North Gainey Center Drive, Suite 200 Scottsdale, AZ 85258 USA
Version	Version 8.0.0.07 Web Model 2014
Copyright	Copyright © 1997-2014, SalesLogix N.A, LLC. All rights reserved This product and related documentation are protected by copyright and are distributed under licenses restricting their use, copying, distribution, and decompilation. No part of this product or related documentation may be reproduced in any form by any means without prior written authorization of Saleslogix and its licensors, if any.
Trademarks	Swiftpage, Act!, SalesLogix, and the Swiftpage product and service names mentioned herein are registered trademarks or trademarks of Swiftpage ACT! LLC, or its affiliated entities. All other trademarks are property of their respective owners.
Disclaimer	Saleslogix has thoroughly reviewed this manual. All statements, technical information, and recommendations in this manual and in any guides or related documents are believed reliable, but the accuracy and completeness thereof are not guaranteed or warranted, and they are not intended to be, nor should they be understood to be, representations or warranties concerning the products described. Saleslogix assumes no responsibility or liability for errors or inaccuracies with respect to this publication or usage of information. Further, Saleslogix reserves the right to make changes to the information described in this manual at any time without notice and without obligation to notify any person of such changes.
Technical Support	Technical Support is available to Saleslogix customers with support contracts directly from Swiftpage, and to Certified Business Partners. Calls are answered during business hours, Monday through Friday, excluding holidays. Partners with a valid technical support contract and a Web access code can request technical support electronically on the Partner Support Portal Web site: www.saleslogix.com/partners . Customers with a valid technical support contract and a Web access code can request technical support electronically on the Customer Support Portal Web site: www.saleslogix.com/customers . Revisions to this book are available through both Portal Web sites. Check regularly for current Saleslogix product documentation.

Applying Web Model Update 07 for Sage SalesLogix Version 8.0

This document describes Web Model Update 07 for Sage SalesLogix version 8.0.

Prerequisites

The following Sage SalesLogix software must be installed before installing this update:

- Sage SalesLogix version 8.0
- Installations of Sage SalesLogix v8.0 that were upgraded from v7.5.4 require Update 00 for Sage SalesLogix version 8.0.
This prerequisite does not apply to any other Sage SalesLogix installation scenario (such as an upgrade from 7.5.3 or earlier, or as a new installation of 8.0).
- Web Core Update 07 for Sage SalesLogix version 8.0.
- A supported version of Microsoft .NET Framework must be installed on the Web Host server in order to support Internet Explorer 10.
 - Microsoft .NET Framework v4.5.1 (recommended) - This version of .NET Framework will run concurrently with versions 3.5 and earlier, but will replace .NET Framework versions 4.0 and 4.5. Microsoft .NET Framework 4.5.1 can be downloaded from the Microsoft site:<http://www.microsoft.com/en-us/download/details.aspx?id=41641>



This link was valid at the time this document was distributed. If this link is no longer valid, search the <http://www.microsoft.com> site for ".NET Framework 4.5.1" for the correct location.

- Microsoft .NET Framework v3.5.1 - If your environment does not support Microsoft .NET Framework v4.5.1, then you must apply two Microsoft hot fixes to support Internet Explorer 10. These hot fixes can be downloaded from:
<http://support.microsoft.com/kb/2600100>
<http://support.microsoft.com/kb/2608565>



These links were valid at the time this document was distributed. If these links are no longer valid, search the <http://www.microsoft.com> site for "KB2600100" and "KB2608565"



Do not install Web Model Update 07 for Sage SalesLogix 8.0 on any other Sage SalesLogix version.



Sage SalesLogix v8.0 can be installed on Microsoft Windows 8 and 2012, however some additional installation steps are required. See *Installing Sage SalesLogix on Microsoft Windows 8, Windows Server 2012 and Internet Explorer 10* for detailed steps.

Issues Fixed in This Update

Web Model Update 07 for Sage SalesLogix version 8.0 addresses the following issues:



All defect descriptions apply to the Sage SalesLogix Web Client unless the defect description specifically states otherwise.

Defect	Description
13093646	Web Client uses server time zone rather than local workstation time zone.
13093925	Merging contacts causes the error "Initializing [Sage.SalesLogix.Entities.Account#ADEMOA00002D]-Could not initialize proxy - no Session. SalesLogix Error Id: SLXCFD47ACCFDD725FB" to display.
13093991	Opportunity Sales Order stage information does not update until the Web client is refreshed.
13094052	The Account Association tab may hang after adding 5 or more associations to an account.
14095380	In a lookup, sorting on the key property should not be permitted.
14095436	Using SendSLX to send an e-mail that includes an e-mail address in the BCC field causes the error, "Could not process SendSLX message: Object reference not set to an instance of an object."
14096034	The Export to File "Tab Delimited" option does not put data in separate columns.
14096048	The Export to File Common Task may create a file with no data under some circumstances.

Previously Fixed Issues

Web Model Updates are cumulative, so Web Model Update 07 for Sage SalesLogix 8.0 contains fixes released in previous updates.

Web Model Update 06 for Sage SalesLogix version 8.0 addresses the following issues:



All defect descriptions apply to the Sage SalesLogix Web Client unless the defect description specifically states otherwise.

Defect	Description
13091783	When certain elements are added to templates, the following error occurs during a Mail Merge, "The Mail Merge Engine encountered an error and cannot continue. There was an error in OnRequestFormat (fmtOwner)...".
13092994	The SData Order By command should support using the sort order as specified in the Calculated Field table.
13093126	In the Dashboard Bar Chart Widget records equal to the beginning or ending value of a range are included in two ranges. For example, an opportunity with a probability of 25% is included in the bar for 1-25% and 25%-50%.
13093448	When a timeless activity is exported to Excel the start time is adjusted based on the time zone.
13094164	When installing Desktop Integration using IE10, the message "The signature of SixDesktopIntegrationSetup.exe is corrupt or invalid" displays.
13094209	If Desktop Manager Integration is installed, Internet Explorer versions 9 and 10 stops working when navigating between browser tabs.
14094523	Receive Web Client error after removing, and then re-adding, contact's first and last names in the Edit Names dialog box.

This update addresses the following Accounting Integration issues:

Defect	Description
13093605	In an IE 9 or IE 10 environment, Account Sales Orders do not display when there are more 10 records to display. The record count displays in the header correctly, but none of the records display in the grid.

There was not a Web Model Update 05 for Sage SalesLogix 8.0.

Web Model Update 04 for Sage SalesLogix version 8.0 addresses the following issues:



All defect descriptions apply to the Sage SalesLogix Web Client unless the defect description specifically states otherwise.

Defect	Description
1-80803	When emailing ticket details, the ticket received time does not account for GMT offset.
12088756	When first opening a form that has more than one multitable control, only controls/data in the first multitable control display.
12091193	There are untranslatable strings on the popup menu list in calendar.
13091197	The Display Name in the Setup Accounting Integration form needs to be placed under the password field.
13091473	When on a detail form and moving from record to record, multitable controls do not render correctly.
13091506	Emails that are "dragged and dropped" do not display in the Ticket Activity tab.
13091855	When using a Web filter with a corresponding field data type of Yes/No, an "Invalid column name 'N'" error displays.
13091933	In the Job Service API, provide a simple method to trigger and query jobs from an entity event or business rule.
13091940	SData - custom properties should appear under the payload for Attachments and Activities.
13092086	The Product Package Kit View references a "QUANTITY" column, but the view is missing from the "PRODPACKAGEKITVIEW" view in SQL.
13092174	Users cannot get to the change password screen when 'Force user to change default password' is in effect.
13092188	The address type and primary values need to be added to the MergeConfiguration.xml file.
13092255	The Account Subtype picklist does not refresh after the Type picklist has been changed unless the user clicks several times, and if the subtype does not have any items, the list is never cleared.
13092326	SLXDesktopManager.exe is not translating into German after installing Web Model 02 or Web Model 03.
13092332	Adds OAuth support for integrations.
13092345	Attempting to access online help on the Insert Defect & Insert Sales Order dialogs results in a 404 error.
13092362	Creates the Scopes tab for Integrations.
13092364	Creates the Integrations Links tab.
13092365	Creates the Integrations Resource tab/schema.
13092367	Creates the Integration Details view/schema.
13092444	Creates the Sync History tab view for the Sync Job entity.
13092445	Creates the Integration tab for the User detail view.

Defect	Description
13092447	Creates secured actions for all integrations entry points: NavBar items, Actions items etc.
13092936	The Link to Account Link or Create an Account dialog is missing the search option.

Web Model Update 03 for Sage SalesLogix version 8.0 addresses the following issues:



All defect descriptions apply to the Sage SalesLogix Web Client unless the defect description specifically states otherwise.

Defect	Description
12089796	When a ticket activity is created by punching in to a ticket, the ticket activity does not display on the Ticket Timeline.
12091117	Cannot create an SData picklist.
13091509	After installing a bundle with Activities list viewer smartpart, the deployment error 'An item with the same key has already been added' displays.
13091540	Firefox: A new Opportunity is created after selecting Closed-Won or Closed-Lost on an existing opportunity.
13091543	Opportunities is misspelled in the Update Contact Options dialog window.
13091566	Opportunity Snapshot uses wrong picklist.
13091572	Export to File causes a harmless exception and should be modified so as not to display the exception error.
13091610	Error running a custom report.
13091641	In the Lead Conversion view, clicking Add Contact next to a matched account returns the error "The statement has been terminated. : Cannot insert the value NULL into column 'LEADSOURCEID', table 'SalesLogix_Eval.sysdba.CONTACT_LEADSOURCE'; column does not allow nulls. INSERT fails."
13091661	Prevent input of bad characters in Query Builder conditions.
13091689	Users are periodically getting logged out of the Web Client.
13091762	Implement a Web sticky session cookie.
13091785	When sending a ticket email with over 2000 characters in the description or resolution field, the error "The data area passed to a system call is too small..." displays.
13091829	Desktop Integration install from drive instead of the browser adds an additional add-on in IE called Sage SalesLogix Desktop Integration Module Helper.
13091885	IE10: When attempting to complete a Sales Process set, it never completes and the server request times out.
13092060	When attempting search for duplicate lead records, the error "ProgressData.ProcessCompleted is null or not an object" displays.

Web Model Update 02 for Sage SalesLogix version 8.0 addresses the following issues:



All defect descriptions apply to the Sage SalesLogix Web Client unless the defect description specifically states otherwise.

Defect	Description
1-69411	Using "GETDATE()" or the ":Date" literal value as a condition for a group in the Web Client Query Builder causes errors.
1-80726	Opportunity sales process tab does not always save user selections when selecting step check boxes.
12087165	A sales process with a large number of steps may experience delays when completing steps in the Web Client.
12090585	The fields on the view of the Literature Request screen in Literature Request Management should be read only and not allow a user to modify them while in the screen in a localized client.
12090894	Unable to login to Web Client, receive the error "We're sorry, your request could not be completed."
12091104	When creating a new account, in the Lead Source Lookup, the Type and Description options not translated in a localized client.
12091135	MessagingService unhandled exception when testing a large Cloud image.
12091156	When opening the Web Client Activities List view Confirmations tab, the following error displays:"The following SData diagnosis occurred: Description=Operation failed. Message=Requested value 'completed' was not found. HTTP status: Internal Server Error (500) SalesLogix Error ID XXXX".
12091190	Provide proxy server configuration settings for Desktop Manager with authentication options.
13091287	IE10 only: When the user clicks on the splitter bar of the detail view, the detail view blanks out until the user releases the splitter bar.
13091324	The Web Client using Windows Authentication consumes a concurrent license when a user views the login screen, but does not log on.
13091352	Performing a lookup on a detail view multiple times after saving changes,prevents the group from loading on the list view. A spinning image displays.
13091381	In the Web Client Options General tab, the Fax Provider drop down arrow appears differently in IE10 and FF10 on Windows 8.
13091395	In Windows Server 2012, the system administrator has set policies that prevent installing Desktop Integration.
13091427	On the Account Detail view Account Timeline tab, wrapped timeline text touches the next record when using the browser IE10.
13091476	Change the role security message from "Sorry you do not have access to the select page" to "Sorry you do not have access to this page".
13091503	The async postback error handler may redirect to the Login page during an Ajax request.

Defect	Description
13091519	When Windows Authentication is configured, the redirect on error to "Login.aspx" should call the logoff handler instead.
13091521	There is a threading issue in the UserOptionsService that throws an exception error when the USERID is null or empty.
13091531	Login.aspx should not abandon newly created sessions only to have them recreated on postback.
13091532	The ChangePassword.aspx should not assume that the HTTP cache contains a "changePasswordError" key (NullReferenceException).
13091533	If unable to detect the client's time zone in Login.master, there should be a warning not an error.
13091547	In the InsertAccountContact view, the SelectAccountAddress action causes a System.ComponentModel.DataAnnotations.ValidationException instead of a Sage.Platform.Application.ValidationException, which causes a 576 error to be sent back instead of a 578 error.
13091549	The Sage.Common.Syndication.DiagnosesException - Unable to locate a handler to process the request 'slx/dynamic/-/attachments/\$template' error displays.

Web Model Update 02 for Sage SalesLogix version 8.0 addresses the following Accounting Integration issue:

Defect	Description
12091154	If an X3 end point is not accessible and a user attempts to link a SLX account, a message appears. Please specify a valid end point before continuing. Any attempt to select cancel from the same form generates the same message.

Web Model Update 01 for Sage SalesLogix version 8.0 addresses the following issues:



All defect descriptions apply to the Sage SalesLogix Web Client unless the defect description specifically states otherwise.

Defect	Description
12090452	Opportunity/Sales Order Product Price Level does not display correctly when the record is saved.
12090454	On an Opportunity or Sales Order, in the Products grid with two or more products, editing the Price Level of one product and clicking within the Price Level field of the second causes the field to go blank for the second product.
12090805	When a Product with a Price = 0 is edited and the Adj Price field is given a value, adding a Discount reverts the Adj Price to zero.
12090962	Updating a list of over 4500 Target's status to "Responded" causes a server timeout error.
12091052	Conditions do not save correctly when editing groups.
12091214	The SData Client Library is unable to extrapolate the correct error message because unhandled exceptions are sent in an unexpected format.
13091229	Changing the sort order for a group is not saved correctly.
13091300	The code snippet action associated with the Save button performs unnecessary actions.
13091301	When selecting a different account in the "Look for Matching Records" Smart Parts, the account is added after account validation, but before contact validation.

File Information

This update may include pdb files which are not listed in the following table. These files are included to provide additional logging information for troubleshooting purposes.

File Name	File Contents	File Version
SLX_v800_Web_Model_Update_07.zip	SLX v8.0.0 VFS Web Model Update 07.zip	
SLX v8.0.0 VFS Web Model Update 07.zip	Account_Accounting_Sales_Orders.htm	
	Account_Invoices_Tab.htm	
	AccountAssociations.js	

File Name	File Contents	File Version
	AccountDetails.main.quickform.xml	
	AccountDetails.main.quickform.xml.de.resx	
	AccountDetails.main.quickform.xml.fr.resx	
	AccountDetails.main.quickform.xml.it.resx	
	AccountDetails.main.quickform.xml.resx	
	AccountDetails.main.quickform.xml.ru.resx	
	Accounting_Integration_Troubleshoot_Sync_Service.htm	
	Accounting_Systems_Tab.htm	
	AccountingTasksTasklet.ascx.cs	
	ActivityResourceView.ACTIVITYRESOURCEVIEW.entity.xml	
	Add_Other_Users_to_the_Calendar_Activity_List.htm	
	AddEditAccountingSystem.cmdOK_OnClick.method.xml	
	AddEditAccountingSystem.smartpart.xml	
	AddEditAccountingSystem.smartpart.xml.resx	
	AddEditLink.main.quickform.xml	
	AddEditLink.main.quickform.xml.resx	
	AddEditLink.smartpart.xml	
	AddEditLink.smartpart.xml.resx	
	AddEditProviderScope.main.quickform.xml	
	AddEditProviderScope.main.quickform.xml.resx	
	Alias.xml	
	AppIdMapping.SyncDigest.0a6196bf58d74de38fd01ac37c9cfe0f.relationship.xml	
	appSettings.config	
	AuthorizationServiceViewControllerBase.cs	
	Authorize_Services.htm	
	AuthorizeService.ascx	
	AuthorizeService.ascx.cs	
	AuthorizeService.ascx.resx	
	AuthorizeService.smartpart.xml	
	AuthorizeService.smartpart.xml.resx	
	Authorizing_Google_Integration.htm	
	AuthType.filter.xml	

File Name	File Contents	File Version
	base.master	
	browseField.js	
	bundleData.xml	
	CampaignTargetsView.CAMPAIGNTARGETSVIEW.entity.xml	
	ChangePassword.aspx.cs	
	claro.css	
	CommonTasksTasklet.ascx	
	CommonTasksTasklet.ascx.cs	
	Configuring_Google_Mail_Integration.htm	
	Configuring_Google_Sync.htm	
	ConfiguringAccountingIntegration.htm	
	ConfiguringAcctIntSyncSvc.htm	
	ConfiguringIntSyncSvc.htm	
	Contact.ERPEmailAddress.e1959defb09a48518d856024a455e533.relationship.xml	
	Contact.ERPPhoneNumber.f55dcc89e84f468195419c00ee5cd7ac.relationship.xml	
	ContactDetails.main.quickform.xml	
	ContactDetails.main.quickform.xml.de.resx	
	ContactDetails.main.quickform.xml.fr.resx	
	ContactDetails.main.quickform.xml.it.resx	
	ContactDetails.main.quickform.resx	
	ContactDetails.main.quickform.ru.resx	
	ContactSyncView.CONTACTSYNCVIEW.entity.xml	
	contextIntegration.contextmenu.xml	
	contextIntegration.contextmenu.xml.resx	
	contextIntegrationLinks.contextmenu.xml	
	contextIntegrationLinks.contextmenu.xml.resx	
	CopyNewContact.ascx.cs	
	dashboard.master	
	DeDupProgress_ClientScript.js	
	Default-Class-SalesLogix.Class.codetemplate.xml	
	Default-SData-SalesLogix.sdata.codetemplate.xml	
	EmailDetails.main.quickform.xml	
	EmailDetails.main.quickform.xml.resx	

File Name	File Contents	File Version
	emailloghistory.htm	
	EndPoint.filter.xml	
	EndTime.filter.xml	
	Filters.js	
	FindSchemaDifferences.htm	
	GeneralSearchOptionsPage.ascx	
	GeneralSearchOptionsPage.ascx.cs	
	Global.asax	
	Global.cs	
	HttpStatusFilter.filter.xml	
	ICSalesOrders.ascx.cs	
	IlmAddAdHoc.contextmenu.xml	
	IlmAddAdHoc.contextmenu.xml.resx	
	IlmNewAdHoc.contextmenu.xml	
	IlmNewAdHoc.contextmenu.xml.resx	
	IlmRemoveAdHoc.contextmenu.xml	
	IlmRemoveAdHoc.contextmenu.xml.resx	
	Importing_Contacts_from_Google.htm	
	Index.xml	
	InsertAccount.main.quickform.xml	
	InsertAccount.main.quickform.xml.de.resx	
	InsertAccount.main.quickform.xml.fr.resx	
	InsertAccount.main.quickform.xml.it.resx	
	InsertAccount.main.quickform.xml.resx	
	InsertAccount.main.quickform.xml.ru.resx	
	InsertLead.main.quickform.xml	
	InsertLead.main.quickform.xml.de.resx	
	InsertLead.main.quickform.xml.fr.resx	
	InsertLead.main.quickform.xml.it.resx	
	InsertLead.main.quickform.xml.resx	
	InsertLead.main.quickform.xml.ru.resx	
	InsertOAuthProvider.main.quickform.xml	
	InsertOAuthProvider.main.quickform.xml.resx	
	Integration.page.xml	
	Integration.page.xml.resx	
	IntegrationDetail.main.quickform.xml	

File Name	File Contents	File Version
	IntegrationDetail.main.quickform.xml.resx	
	IntegrationDetail.smartpart.xml	
	IntegrationDetail.smartpart.xml.resx	
	IntegrationExtendedDetails.main.quickform.xml	
	IntegrationExtendedDetails.main.quickform.xml.resx	
	IntegrationExtendedDetails.smartpart.xml	
	IntegrationExtendedDetails.smartpart.xml.resx	
	IntegrationLinks.main.quickform.xml	
	IntegrationLinks.main.quickform.xml.resx	
	IntegrationLinks.smartpart.xml	
	IntegrationLinks.smartpart.xml.resx	
	IntegrationListContextMenu.contextmenu.xml	
	IntegrationListContextMenu.contextmenu.xml.resx	
	IntegrationOptions.main.quickform.xml	
	IntegrationOptions.main.quickform.xml.resx	
	IntegrationOptions.smartpart.xml	
	IntegrationOptions.smartpart.xml.resx	
	IntegrationResources.main.quickform.xml	
	IntegrationResources.main.quickform.xml.resx	
	IntegrationResources.smartpart.xml	
	IntegrationResources.smartpart.xml.resx	
	Integrations.main.quickform.xml	
	Integrations.main.quickform.xml.resx	
	Integrations.smartpart.xml	
	Integrations.smartpart.xml.resx	
	Integrations_Detail_View.htm	
	Integrations_Info_Boxes.htm	
	Integrations_Links_Add_Edit_Basic.htm	
	Integrations_Links_Add_Edit_OAuth.htm	
	Integrations_Links_Tab.htm	
	Integrations_List_View.htm	
	Integrations_Mapping_Tab.htm	
	Integrations_Options_Tab.htm	
	Integrations_Resource_Add_Edit.htm	
	Integrations_Scopes_Tab.htm	
	Integrations_Users_Tab.htm	

File Name	File Contents	File Version
	IntegrationSetup.page.xml	
	IntegrationSetup.page.xml.de.resx	
	IntegrationSetup.page.xml.fr.resx	
	IntegrationSetup.page.xml.it.resx	
	IntegrationSetup.page.xml.resx	
	IntegrationSetup.page.xml.ru.resx	
	IntegrationUsers.main.quickform.xml	
	IntegrationUsers.main.quickform.xml.resx	
	IntegrationUsers.smartpart.xml	
	IntegrationUsers.smartpart.xml.resx	
	Introducing_Integration.htm	
	LeadSearchAndConvert.ascx.cs	
	LeadSearchForDuplicates.ascx.cs	
	Linking_Records.htm	
	LinkType.filter.xml	
	LiteratureManagementTasks.ascx.cs	
	LitRequestForm.ascx	
	LiveGroupViewer.smartpart.xml	
	LiveGroupViewer.smartpart.xml.resx	
	log4net.config	
	Login.aspx	
	Login.master	
	LogItems.main.quickform.xml	
	LogItems.main.quickform.xml.de.resx	
	LogItems.main.quickform.xml.fr.resx	
	LogItems.main.quickform.xml.it.resx	
	LogItems.main.quickform.xml.resx	
	LogItems.main.quickform.xml.ru.resx	
	Logoff.aspx	
	Logoff.aspx.resx	
	ManageStages.ascx.cs	
	ManageTargets.ascx.cs	
	manifest.xml	
	Matching.smartpart.xml	
	Matching.smartpart.xml.de.resx	
	Matching.smartpart.xml.fr.resx	

File Name	File Contents	File Version
	Matching.smartpart.xml.it.resx	
	Matching.smartpart.xml.resx	
	Matching.smartpart.xml.ru.resx	
	Matching_Tab.htm	
	menuItemCreateNewIntegrationGroup.contextmenu.xml	
	menuItemCreateNewIntegrationLinkGroup.contextmenu.xml	
	menuItemCreateNewIntegrationLinkGroup.contextmenu.xml.resx	
	menuItemLookupIntegration.contextmenu.xml	
	menuItemLookupIntegration.contextmenu.xml.resx	
	menuItemLookupIntegrationLink.contextmenu.xml	
	menuItemLookupIntegrationLink.contextmenu.xml.resx	
	MergeRecords.ascx.cs	
	mnuCalendarHistoryOpen.contextmenu.xml	
	mnuCalendarHistoryOpen.contextmenu.xml.de.resx	
	mnuCalendarHistoryOpen.contextmenu.xml.fr.resx	
	mnuCalendarHistoryOpen.contextmenu.xml.it.resx	
	mnuCalendarHistoryOpen.contextmenu.xml.resx	
	mnuCalendarHistoryOpen.contextmenu.xml.ru.resx	
	Name.filter.xml	
	navAdministrationIntegrations.navitem.xml	
	navAdministrationIntegrations.navitem.xml.resx	
	navIntegration.navgroup.xml	
	navIntegration.navgroup.xml.resx	
	navIntegrationIntegrations.navitem.xml	
	navIntegrationIntegrations.navitem.xml.resx	
	navIntegrationSyncJobs.navitem.xml	
	navIntegrationSyncJobs.navitem.xml.resx	
	navIntegrationSyncResults.navitem.xml	
	navIntegrationSyncResults.navitem.xml.resx	
	navSyncJobs.navitem.xml	
	navSyncJobs.navitem.xml.de.resx	
	navSyncJobs.navitem.xml.fr.resx	

File Name	File Contents	File Version
	navSyncJobs.navitem.xml.it.resx	
	navSyncJobs.navitem.xml.resx	
	navSyncJobs.navitem.xml.ru.resx	
	navSyncResults.navitem.xml	
	navSyncResults.navitem.xml.de.resx	
	navSyncResults.navitem.xml.fr.resx	
	navSyncResults.navitem.xml.it.resx	
	navSyncResults.navitem.xml.resx	
	navSyncResults.navitem.xml.ru.resx	
	OAuth1AuthorizationServiceViewController.cs	
	OAuth2AuthorizationServiceViewController.cs	
	OAuthBase.cs	
	OAuthOptionsPage.ascx	
	OAuthOptionsPage.ascx.cs	
	OAuthOptionsPage.ascx.resx	
	OAuthOptionsPage.smartpart.xml	
	OAuthOptionsPage.smartpart.xml.resx	
	OAuthProviderDetail.main.quickform.xml	
	OAuthProviderDetail.main.quickform.xml.resx	
	OnAfterInsert.method.xml	
	OnAfterUpdate.method.xml	
	OpportunityDetails.main.quickform.xml	
	OpportunityDetails.main.quickform.xml.de.resx	
	OpportunityDetails.main.quickform.xml.fr.resx	
	OpportunityDetails.main.quickform.xml.it.resx	
	OpportunityDetails.main.quickform.xml.resx	
	OpportunityDetails.main.quickform.xml.ru.resx	
	OpportunityDetails.SetupIntegrationContract.method.xml	
	OpportunityProducts.main.quickform.xml	
	OpportunityProducts.main.quickform.xml.de.resx	
	OpportunityProducts.main.quickform.xml.fr.resx	
	OpportunityProducts.main.quickform.xml.it.resx	
	OpportunityProducts.main.quickform.xml.resx	
	OpportunityProducts.main.quickform.xml.ru.resx	
	OpportunitySalesProcess.ascx.cs	

File Name	File Contents	File Version
	OpportunitySalesProcess_ClientScript.js	
	OpportunitySnapShot.ascx	
	PackageKitChildView.PACKAGEKITCHILDVIEW.entity.xml	
	PickListItemView.PICKLISTITEMVIEW.entity.xml	
	PickListView.PICKLISTVIEW.entity.xml	
	prefsedit.htm	
	Probability.filter.xml	
	ProdPackageKitView.PRODPACKAGEKITVIEW.entity.xml	
	PromoteContact.method.xml	
	ProviderScopes.main.quickform.xml	
	ProviderScopes.main.quickform.xml.resx	
	ProviderScopes.smartpart.xml	
	ProviderScopes.smartpart.xml.resx	
	QBAddCondition.ascx	
	QFLink.WebControlRenderingTemplate.vm	
	QFMultiTab.WebControlRenderingTemplate.vm	
	QFSDataGrid.WebControlScriptRenderingTemplate.vm	
	QueryBuilderMain.js	
	Sage.Platform.Application.Caching.CacheInitializationService.service.xml	
	Sage.Platform.Scheduling.ISchedulerClientService.service.xml	
	Sage.Platform.Scheduling.SData.dll	8.0.0.8557
	Sage.SalesLogix.Client.GroupBuilder.Modules.GroupViewerModule.module.xml	
	Sage.SnippetLibrary.CSharp. @.03ece52b-ed84-472f-acc0-1c9e6f421871.codesnippet.cs	
	Sage.SnippetLibrary.CSharp. @.17fcd96c-11d5-4f93-b3af-dd201789d02c.codesnippet.cs	
	Sage.SnippetLibrary.CSharp. @.1a2a450c-2d2e-4f15-b619-2ad176aae159.codesnippet.cs	
	Sage.SnippetLibrary.CSharp. @.20a2a4bc-a0f1-4853-acb2-e8a6431fb2c3.codesnippet.cs	
	Sage.SnippetLibrary.CSharp. @.3339a093-f22a-4c0c-b4c4-56592016706c.codesnippet.cs	

File Name	File Contents	File Version
	Sage.SnippetLibrary.CSharp. @.9cf68f6b-e657-4280-a31d-609fb82ddd37.codesnippet.cs	
	SalesLogix.resx	
	SalesOrderProducts.btnAddCustomProduct_OnClick.method.xml	
	SalesOrderProducts.main.quickform.xml	
	SalesOrderProducts.main.quickform.xml.de.resx	
	SalesOrderProducts.main.quickform.xml.fr.resx	
	SalesOrderProducts.main.quickform.xml.it.resx	
	SalesOrderProducts.main.quickform.xml.resx	
	SalesOrderProducts.main.quickform.xml.ru.resx	
	SalesOrderProducts.OnLoadHandler.method.xml	
	SalesProcessAudit.SALESPROCESSAUDIT.entity.xml	
	SalesProcesses.SALESPROCESSES.entity.xml	
	SalesQuotationSyncView.SALESQUOTATIONSYNCSVIEW.entity.xml	
	SData_Detail_view.htm	
	SData_Integrations_Tab.htm	
	SDataListViewer.smartpart.xml	
	SDataListViewer.smartpart.xml.de.resx	
	SDataListViewer.smartpart.xml.fr.resx	
	SDataListViewer.smartpart.xml.it.resx	
	SDataListViewer.smartpart.xml.resx	
	SDataListViewer.smartpart.xml.ru.resx	
	SearchResults.ascx.cs	
	SelectAccountAddress.main.quickform.xml	
	SelectAccountAddress.main.quickform.xml.de.resx	
	SelectAccountAddress.main.quickform.xml.fr.resx	
	SelectAccountAddress.main.quickform.xml.it.resx	
	SelectAccountAddress.main.quickform.xml.resx	
	SelectAccountAddress.main.quickform.xml.ru.resx	
	Selecting_Contacts_to_Sync.htm	
	Selecting_Tasks_to_Sync_from_Google.htm	
	SelectOperatingAccount.ascx.cs	
	SendTicketEmail.ascx.cs	
	SendTicketEmail_ClientScript.js	
	Service.js	

File Name	File Contents	File Version
	SetLinkEnabledState.method.xml	
	settings_16.png	
	Setup_Accounting_Integration.htm	
	SlxDesktopIntegrationSetup.exe	8.0.8479.0
	SlxEndPointDetails.btnSave_OnClick.method.xml	
	SlxEndPointDetails.main.quickform.xml	
	SlxEndPointDetails.main.quickform.xml.de.resx	
	SlxEndPointDetails.main.quickform.xml.fr.resx	
	SlxEndPointDetails.main.quickform.xml.it.resx	
	SlxEndPointDetails.main.quickform.xml.resx	
	SlxEndPointDetails.main.quickform.xml.ru.resx	
	SlxEndPointDetails.smartpart.xml	
	SlxEndPointDetails.smartpart.xml.de.resx	
	SlxEndPointDetails.smartpart.xml.fr.resx	
	SlxEndPointDetails.smartpart.xml.it.resx	
	SlxEndPointDetails.smartpart.xml.resx	
	SlxEndPointDetails.smartpart.xml.ru.resx	
	slxgetstarted.htm	
	SpeedSearch.ascx.cs	
	Sql.js	
	StartDate.filter.xml	
	sync_16x16.png	
	Sync_Disable.png	
	Sync_Enable.png	
	Sync_History_Tab.htm	
	Sync_Job_Detail_View.htm	
	Sync_Job_Sync_History_Tab.htm	
	Sync_Jobs_List_View.htm	
	Sync_Results_List_View.htm	
	SyncDigest.SYNCDIGEST.entity.xml	
	Synced_Activities_Tab.htm	
	SyncedSource.filter.xml	
	SyncEnabled.filter.xml	
	SyncFrom.filter.xml	
	SyncHistory.main.quickform.xml	
	SyncHistory.main.quickform.xml.resx	

File Name	File Contents	File Version
	SyncHistory.smartpart.xml	
	SyncHistory.smartpart.xml.resx	
	Synchronization_Tab.htm	
	Synchronizing_Your_Calendar_with_Google.htm	
	Syncing_Contacts_with_Google.htm	
	SyncJob.page.xml	
	SyncJob.page.xml.de.resx	
	SyncJob.page.xml.fr.resx	
	SyncJob.page.xml.it.resx	
	SyncJob.page.xml.resx	
	SyncJob.page.xml.ru.resx	
	SyncJobDetails.main.quickform.xml	
	SyncJobDetails.main.quickform.xml.de.resx	
	SyncJobDetails.main.quickform.xml.fr.resx	
	SyncJobDetails.main.quickform.xml.it.resx	
	SyncJobDetails.main.quickform.xml.resx	
	SyncJobDetails.main.quickform.xml.ru.resx	
	SyncMethod.filter.xml	
	SyncResult.page.xml	
	SyncResult.page.xml.de.resx	
	SyncResult.page.xml.fr.resx	
	SyncResult.page.xml.it.resx	
	SyncResult.page.xml.resx	
	SyncResult.page.xml.ru.resx	
	SyncResultDetail.main.quickform.xml	
	SyncResultDetail.main.quickform.xml.de.resx	
	SyncResultDetail.main.quickform.xml.fr.resx	
	SyncResultDetail.main.quickform.xml.it.resx	
	SyncResultDetail.main.quickform.xml.resx	
	SyncResultDetail.main.quickform.xml.ru.resx	
	SyncResultDetail.smartpart.xml	
	SyncResultDetail.smartpart.xml.de.resx	
	SyncResultDetail.smartpart.xml.fr.resx	
	SyncResultDetail.smartpart.xml.it.resx	
	SyncResultDetail.smartpart.xml.resx	
	SyncResultDetail.smartpart.xml.ru.resx	

File Name	File Contents	File Version
	SyncResultsDetailView.htm	
	Task_Pane_Group_List.htm	
	taskpane.htm	
	TicketTimeline.mashup.xml	
	Toc.xml	
	Troubleshooting_Duplicate_Events_in_Google.htm	
	UpdateAccountOptions.ascx.resx	
	UpdateTargets.ascx.cs	
	User_Detail_View.htm	
	UserIntegrations.main.quickform.xml	
	UserIntegrations.main.quickform.xml.resx	
	UserIntegrations.smartpart.xml	
	UserIntegrations.smartpart.xml.resx	
	UserNotification.USERNOTIFICATION.entity.xml	
	Users_Integrations_Tab.htm	
	Using_External_Integrations.htm	
	Using_Google_Mail_Integration.htm	
	Using_Sage_SalesLogix_Integration.htm	
	Using_the_Calendar.htm	
	Using_the_Contact_Detail_View.htm	
	using_the_lead_detail_view.htm	
	ValidateSyncDigestResources.method.xml	
	Web.config	
	Working_with_Activities_View.htm	
SlxDesktop Integration Setup.exe	Desktop Manager.chm	
	Lumisoft.Net.dll	2.0.4295.19461
	MailMerge.chm	
	Sage.SData.Client.dll	1.3.1.1467
	sagegears.dll	8.0.0.8776
	SLMN.dll	8.0.0.8479
	SlxDesktopManager.exe	8.0.0.8592
	SLXDocW.dll	8.0.0.8479
	SLXFaxW.dll	8.0.0.8479
	SLXFramer.ocx	8.0.0.8479

File Name	File Contents	File Version
	SLXMMEngineW.dll	8.0.0.8479
	SLXMMGUIW.dll	8.0.0.8479
	SLXWinFaxW.dll	8.0.0.8479

Applying the Update

This Web Model Update affects the following portals:

- Process Host
- SData
- Sage SalesLogix Web Client
- Customer Portal
- Intellisync
- SLXJobService

Deleting the MergeConfiguration.xml File



If you customized this file, record your customizations before deleting them.

New configurations have been added to the MergeConfiguration file. You must delete and recreate the file to see the updates. The file is rebuilt when you convert a lead in the Web Client. After you recreate the file, you can add your customizations.

To delete

1. In the **Application Architect**, open the **Virtual File System Explorer**.
2. In the tree view expand **Configuration** and expand **Global**.
3. If necessary, save the MergeConfiguration.xml file to another location or record any customizations to the file.
4. Delete the file.

Installing the VFS Bundle

Install the SLX v8.0.0 VFS Web Model Update 07.zip bundle using the Sage SalesLogix Application Architect.

To install the bundle

1. Extract the contents of the **SLX_v800_Web_Model_Update_07.zip** file to a temporary folder.
2. Ensure you have **Write** permissions to the bundle installation folder. Check permissions on the Security tab on the folder properties.
3. Open the **Application Architect**.
4. In the **Project Explorer**, right-click the project, and then click **Install Bundle**.

5. Navigate to the folder where you extracted the Update files, click **SLX v8.0.0 VFS Web Model Update 07.zip**, and then click **Open**.
6. On the **Select Bundle** screen, click **Next**.



- If you have customized your Web Client files, you may receive a message that the bundle contains items that conflict with existing items in this project. See the Application Architect help file topic called 'Merging Changes During Bundle Installation' for instructions before continuing to install the bundle.
- If you implemented Windows Authentication you should accept the change to the logoff.aspx page. It is no longer necessary to change the Login.aspx reference to the Default.aspx page as specified in the *Sage SalesLogix Implementation Guide* or Administrator online help.

7. On the **Select Items** screen, ensure the **Portals** option is selected.
8. Click **Next**, and then click **Finish**.

Building and Deploying the Web Changes

To make your changes available, you must build and deploy the Web portal(s).

To build and deploy

1. In the **Project Explorer**, click the project.
2. Press and hold the **CTRL** key, and then on the **Build** menu, click **Build Web Platform**. All the files in the entire assembly for the current project are compiled. Status for the build is displayed in the Output Window at the bottom of the screen.
3. When the build is complete, on the **View** menu, click **Deployment Explorer**.
4. Expand **Deployments**.
5. Double-click the portal to deploy.
6. Under **Deployment Targets**, right-click the target portal, and click **Deploy Portal**. View the status of the deployment in the Output window.



- By default, the Sage SalesLogix Web Client portal is set to deploy to the localhost, but you can change these settings to fit your environment.

7. Repeat steps 1-6 for each of the affected portals.

Updating the Desktop Integration Module

Users can get the latest changes to the Desktop Integration Module by downloading it from your Web Server.



- If installing on Microsoft Windows 2012, see *Installing Sage SalesLogix on Microsoft Windows 8, Windows Server 2012 and Internet Explorer 10* for different steps.
- There are localized versions of the module available. For sites that require a localized version, open the directory called "Localized Desktop Integration" in SLX_v800_Web_Model_Update_07.zip, locate the appropriate version of SlxDesktopIntegrationSetup.exe, and copy it to the Web Server folder:

c:\Inetpub\wwwroot\SlxClient\Libraries\DesktopIntegration

To update

- Instruct Web Client and Offline Web Client users to download the Desktop Integration Module to get the updated files for Sage SalesLogix version 8.0.



Users must first close the Sage SalesLogix Desktop Manager and Microsoft Outlook before downloading the updated Desktop Integration module.

For more information, click the Find out more link on the Sage SalesLogix Web Client login screen to open the "Installing and Using Sage SalesLogix Desktop Integration" help topic.