



Applying Web Core Update 01 for Version 8.2

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor. By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: 8.2.0.01

Publication date: 9/10/2015

Disclaimer


This document reflects the direction Infor may take with regard to the specific product(s) described in this document, all of which is subject to change by Infor in its sole discretion, with or without notice to you. This document is not a commitment to you in any way and you should not rely on this document or any of its content in making any decision. Infor is not committing to develop or deliver any specified enhancement, upgrade, product or functionality, even if such is described in this document.

Contents

Introduction	1
About this guide	1
Prerequisites	1
Contacting Infor	2
Chapter 1 Changes in this Update	3
Features added in this update	3
Issues fixed in this update	4
File information	7
Chapter 2 Applying the Update	17
Installing VFS bundles	18
Building and deploying the Web changes	18



Introduction



Infor CRM is a leading customer relationship management solution that enables small to medium-sized businesses to acquire, retain, and develop profitable customer relationships through integrated Sales, Marketing, Customer Service, and Support automation solutions.

About this guide

This document describes Web Core Update 01 for version 8.2.

Prerequisites

The following software must be installed before installing this update:

- Infor CRM version 8.2
- 8.2 SNC Update 01



Do not install Web Core Update 01 for 8.2 on any other version.

- **Internet Explorer 10 only:** A supported version of Microsoft .NET Framework must be installed on the Web Host server in order to support Internet Explorer 10.
 - Microsoft .NET Framework v4.5.1 (recommended) - This version of .NET Framework will run concurrently with versions 3.5 and earlier, but will replace .NET Framework versions 4.0 and 4.5. Microsoft .NET Framework 4.5.1 can be downloaded from the Microsoft site: <http://www.microsoft.com/en-us/download/details.aspx?id=41641>



This link was valid at the time this document was distributed. If this link is no longer valid, search the <http://www.microsoft.com> site for ".NET Framework 4.5.1" for the correct location and select either the Offline or Web Installer version.

- Microsoft .NET Framework v3.5.1 - If your environment does not support Microsoft .NET Framework v4.5.1, then you must apply two Microsoft hot fixes to support Internet Explorer 10. These hot fixes can be downloaded from:
<http://support.microsoft.com/kb/2600100>
<http://support.microsoft.com/kb/2608565>



These links were valid at the time this document was distributed. If these links are no longer valid, search the <http://www.microsoft.com> site for "KB2600100" and "KB2608565"

Contacting Infor

If you have questions about Infor products, go to the Infor Xtreme Support portal at www.infor.com/inforxtreme.

If we update this document after the product release, we will post the new version on this website. We recommend that you check this website periodically for updated documentation.

If you have comments about Infor documentation, contact documentation@infor.com.

Chapter 1

Changes in this Update

1

This chapter lists all of the changes to Infor CRM (Saleslogix) since version 8.2.

Features added in this update

Web Core Update 01 for Infor CRM version 8.2 includes the following new features:

Web Client

- When importing a list of contacts, an account will be created if the import record does not contain any account information
- Features for Administrators and those with appropriate role access:
 - Ability to edit fields

Application Architect

- New PickListFilter Bind Control Property enables pick lists to be filtered dynamically
- New bundle action types - Insert Records, Add Secured Action(s), and Add Role(s)
- Ability to save a bundle as a folder
- New property for allowing bulk updates at the entity and field level
- New ASP.Net page property to disable page request validation
- Bundle management:
 - Ability to merge a bundle of actions into another bundle
 - When installing a bundle the database type is detected, Unicode or non-Unicode (ANSI). This means you can build one bundle and the system will appropriately change the types based on the database type specified in the Administrator.
 - Updates to the VFS Bundle Utility
 - Ability to bundle user-interface changes and role actions
 - New picklist bundle action option to skip the insert of a picklist



See the “What’s New in this Release” topic in the online Help systems for more information about the new features.

Issues fixed in this update

Web Core Update 01 for Infor CRM version 8.2 addresses the following issues:



All defect descriptions apply to the Infor CRM Web Client unless the defect description specifically states otherwise.

Defect	Description
INFORCRM-1373	Picklist control needs the ability to filter pick list items dynamically.
INFORCRM-1406	Add conflict resolution functionality to the Integrations detail view Resources tab.
INFORCRM-1518	In the Entity Manager, with check boxes enabled, selecting a check box does not work.
INFORCRM-1559	The horizontal scroll bar should display when horizontally resizing a grid.
INFORCRM-1602	Add the ability to create an account when an import file record does not contact an account name.
INFORCRM-1682	A new filter does not work if the field contains database IDs, for example Acct Manager or Owner.
INFORCRM-3233	The link on the Completed import dialog should take the user to the new ad-hoc group if the import was successful, otherwise to the import history record.
INFORCRM-3369	Pre and post Business Rules steps are not getting triggered if there is no active primary step.
INFORCRM-3373	Add the ability to reassign the owner or account manager for multiple accounts at one time.
INFORCRM-3387	Unable to save an existing import template with a new name using the 'Save As...' button.
INFORCRM-3405	An error occurs when converting from IFeed to IList<SDataResource>.
INFORCRM-3414	In a Unicode environment of Customer Portal the Urgency list does not display any items.
INFORCRM-3417	When scheduling a new activity focus should default to the first field, which is the Regarding field.
INFORCRM-3419	Using a Firefox or Chrome browser, entering data in a lookup filter and then pressing Enter does not apply the filter.
INFORCRM-3420	When adding or editing a range filter the display name is not saved.
INFORCRM-3421	Existing entities are missing the default CRUD handler on some business rules events.
INFORCRM-3425	A corrupted string appears in list view when a user enters the character '<' in a detail view.
INFORCRM-3427	Records do not display if a group includes a condition with "contains" :USERID.
INFORCRM-3439	Copying a group that includes a "does contain data" or "does not contain data" condition generates a List index out of bounds error.
INFORCRM-3441	If the <configSections> is not the first child of the root <configuration> element in C:\Program Files (x86)\SalesLogix\Bundler.exe.config, then the resulting error prevents the Bundler.exe from executing.
INFORCRM-3442	Cannot create many to one (M:1) child relationships in the Application Architect.
INFORCRM-3443	In the Application Architect, multiple double clicks on entity causes strange behavior.

Defect	Description
INFORCRM-3445	The Create Database Object Definition bundle action Object Name should not be restricted to 24 characters.
INFORCRM-3453	The History Summary report truncates numeric fields.
INFORCRM-3467	In the Lead Import Process Result dialog box the labels should be right-aligned.
INFORCRM-3471	When using an Internet Explorer 10 or 11 browser, the delete button (x) in the filter Display Name clears the text, but the list is still filtered by the deleted text.
INFORCRM-3476	Query Builder dropdown lists do not use the correct styles.
INFORCRM-3483	When using an Internet Explorer 10 browser, scheduling a new activity from the Contact detail view Activities tab adds the contact to the Participants tab twice.
INFORCRM-3490	During an import, an error occurs when Address.Description is mapped to a field that does not contain data.
INFORCRM-3491	Saving an import as an import template failed after selecting an existing Import template in the first step of the import.
INFORCRM-3492	During an import the 'Update Current Template' button should not be enabled when a template is not selected.
INFORCRM-3494	When importing an Outlook Contact Information file , the contact Information does not display correctly on Record Import_Define Delimiter if the most common delimiter found is actually a 'space'.
INFORCRM-3508	Add the ability to resize the Area-Category-Issue lookup window without having to customize it.
INFORCRM-3618	The import records Insert Record action needs the capability to specify which fields would be overwritten when record already exists.
INFORCRM-3699	In a Chinese environment, labels on the Campaign Budget Results tab are not aligned correctly.
INFORCRM-3701	In a Chinese environment, the Response labels on the Activity Confirmation view overlap.
INFORCRM-3705	In a Chinese environment, the labels on the Insert Note view need to be resized.
INFORCRM-3707	In a Chinese environment, labels on the Associate a Contact view are not aligned correctly.
INFORCRM-3720	In a Chinese environment, the tabs and labels on the Query Builder Calculated Fields view do not display correctly.
INFORCRM-3727	In a Chinese environment, the labels on the Reporting Add/Edit Condition view are not aligned correctly.
INFORCRM-3732	The Data Type for a picklist should be picklist instead of Text 70 of 214 Return to search Edit Comment Assign More Re-open as New Request More Testing Export
INFORCRM-3756	The Share Dashboard dialog box will not display if a system has around 900 users and 7000 teams.
INFORCRM-3761	Add the ability to export a bundles as files
INFORCRM-3771	Attempting to merge contact records causes the error "The source record has previously been promoted. You cannot merge into a source record, which has already been promoted".
INFORCRM-3821	Add a pick list bundle action option to skip the insert of a pick list.
INFORCRM-3822	Add an Insert Bundle Role(s) bundle action.
INFORCRM-3860	The SData feed level ETags should change if the total record count changes.

Defect	Description
INFORCRM-3861	Turn off calendar security when other where security clauses are present that makes the need to add the extra security clause not necessary.
INFORCRM-3876	Add the ability to add user interface changes to a bundle.
INFORCRM-3883	Selecting the Add Code Snippet Action causes the error "An application exception has occurred. Unable to cast object of type 'Sage.Platform.QuickForms.QuickFormMainDetailViewDefinition' to type 'Sage.Platform.Orm.Entities.OrmEntity'. (Sage.Platform)".
INFORCRM-3926	When changing applied security for tickets a "Cast object type" error occurs.
INFORCRM-3929	Disable the Cancel button on the Bulk Update Job Progress dialog box once a job has completed.
INFORCRM-3961	In a localized environment some characters are untranslated on the Entity Manager Fields tab.
INFORCRM-4032	During an import, the CreateSource and ImportSource properties should be populated.
INFORCRM-4122	Participants are removed from completed activities when one uses the speedsearch lookup on the participants tab to add multiple participants.
INFORCRM-4175	When the English (UK) language option is selected, the list views should display date columns such as Estimated Close and Date Required as DD/MM/YYYY.
INFORCRM-4202	It should be possible for bundles should include .vm template files.
INFORCRM-4365	After editing a context menu, selecting that context menu from the Context Menu tree causes the error "Unable to cast object error for Context Menus".
INFORCRM-4487	Import search should be case insensitive.
INFORCRM-4540	The Country picklist in the address control ignores the "Text must match a list item picklist option.

File information

This update may include .pdb files which are not listed in the following table. These files are included to provide additional logging information for troubleshooting purposes.

File Name	File Contents	File Version
Infor_CRM_v820_Web_Core_Update_01.zip	Infor_CRM_v820_Web_Core_Update_01.exe	
Infor_CRM_v820_Web_Core_Update_01.exe	Bundler.exe	8.2.0.1211
	Bundler.exe.config	
	InstallBundle.exe	8.2.0.1211
	Sage.Platform.AdminModule.dll	8.2.0.1211
	Sage.Platform.Application.UI.WinForms.dll	8.2.0.1211
	Sage.Platform.BundleModel.AdminModule.dll	8.2.0.1211
	Sage.Platform.BundleModel.dll	8.2.0.1211
	Sage.Platform.Configuration.dll	8.2.0.1211
	Sage.Platform.dll	8.2.0.1211
	Sage.Platform.FileSystem.dll	8.2.0.1211
	Sage.Platform.IDEModule.dll	8.2.0.1211
	Sage.Platform.Mashups.AdminModule.dll	8.2.0.1211
	Sage.Platform.Orm.CodeGen.dll	8.2.0.1211
	Sage.Platform.Projects.dll	8.2.0.1211
	Sage.Platform.QuickForms.Designer.dll	8.2.0.1211
	Sage.Platform.VirtualFileSystem.dll	8.2.0.1211
	Sage.Platform.WebPortal.Design.AdminModule.dll	8.2.0.1211
	Sage.Platform.WebPortal.Design.dll	8.2.0.1211
	Sage.Platform.WebPortal.dll	8.2.0.1211
	Sage.Saleslogix.Activity.dll	8.2.0.1211
	Sage.SalesLogix.BundleModel.BundleActions.dll	8.2.0.1211
	Sage.Saleslogix.BusinessRules.dll	8.2.0.1211
	Sage.Saleslogix.dll	8.2.0.1211
	Sage.SalesLogix.HighLevelTypes.dll	8.2.0.1211
	Sage.Saleslogix.IntegrationContract.SyncEngine.dll	8.2.0.1211
	Sage.SalesLogix.PickLists.dll	8.2.0.1211
	Sage.SalesLogix.QuickForms.QFControls.dll	8.2.0.1211
	Sage.SalesLogix.SchemaSupport.dll	8.2.0.1211
	Sage.Saleslogix.Security.dll	8.2.0.1211
	Sage.Saleslogix.System.dll	8.2.0.1211
	Sage.SalesLogix.Web.Controls.dll	8.2.0.1211
	Sage.Saleslogix.Web.dll	8.2.0.1211

File Name	File Contents	File Version
ICRM v8.2.0 VFS Web Core Update 01.zip	_AbstractGrid.html	
	_AbstractGrid.js	
	_BaseEntityDetailContent.js	
	_DetailsAddEditDialogBase.js	
	_EntityDetailGrid.js	
	_WizardDialogBase.js	
	ActivityEditor.html	
	ActivityEditorAttendeesTab.js	
	AddEditDialog.js	
	AddEditFiltersDialog.js	
	AddEditPropertiesCalculatedFields.html	
	AddEditPropertiesDialog.html	
	AddEditPropertiesDialog.js	
	AddEditRelationshipsDialog.js	
	ADDMDDetailsView.html	
	ADDMDDetailsView.js	
	AddressEdit.html	
	AMDDetailsView.js	
	AMDDetailsView.html	
	base_splash_screen.jpg	
	BulkUpdateWidget.html	
	BulkUpdateWidget.js	
	CALCULATEDFIELDSDATA_Data.xml	
	Common.css	
	Common.less	
	CommonTasksTasklet.js	
	CrystalReportConditionEditor.html	
	CrystalReportConditionEditor.js	
	DefineDelimiter.js	
	Dialog.css	
	Dialog.less	
	dijit.css	
	dijit.js	
	dijit.js.uncompressed.js	
dijit.less		
DistinctDetailsView.html		
DistinctDetailsView.js		

File Name	File Contents	File Version
	DropDownSelectPickList.js	
	EntityDetailContentFilterGrid.js	
	EntityDetailPropertyGrid.js	
	EntityDetailRelationGrid.js	
	EntityDetailTabManager.js	
	EntityDetailUtility.js	
	EntityListPanelConfig.js	
	EntityManagerFormatter.js	
	EntityManagerGroupContextService.js	
	EntitySDataDetailViewDataManager.js	
	EntitySDataSummaryFormatterScope.js	
	ex_1da862bd-1eff-4018-9973-fda25514ada6_dml.xml	
	ex_5d637f91-f412-447c-921c-f50694b6ed6e_dml.xml	
	ex_9a8f15c8-b329-44f0-94b2-3752f94f5b90_dml.xml	
	ex_89de605c-e14e-428a-a724-89e6075bc4ba_dml.xml	
	ex_1923e625-bf9e-421f-b69a-78a48b163cc2_dml.xml	
	ex_61585bfd-dd79-4ad9-9ec0-223fb7f58567_dml.xml	
	ex_b0ad1e01-35f5-49da-9796-20583bb1d1b4_dml.xml	
	ex_d2fa8fb9-4893-4d97-b746-5176d3bd5450_dml.xml	
	ExecutionDetailSummary.html	
	ExecutionDetailSummary.js	
	FieldAttributeControlFactory.js	
	FieldPropertyObject.js	
	FieldStore.js	
	FormManager.js	
	GroupManager.js	
	HistoryEditor.html	
	HistoryEditorAttendeesTab.js	
	ImportManagerUtility.js	
	IMPORTTEMPLATE_Data.xml	
	inforSoHoXi.css	
	INTEGRATION.VERSION.xml	
	JobNotificationButton.js	
	Jobs.js	
	jstz.js	
	jstz-min.js	
	layout-ie.css	
	LeadTasksTasklet.js	
	LookupFilter.js	

File Name	File Contents	File Version
	main.css	
	main.js	
	ManageImportOptions.html	
	ManageImportOptions.js	
	ManageImportTemplate.js	
	MapFields.js	
	MultiSelectPickList.js	
	p6UJ9A0004WX.xml	
	pDEMOA0000KV.xml	
	pDEMOA0000LT.xml	
	pDEMOA0000LU.xml	
	pDEMOA0000LV.xml	
	PickList.js	
	PickListAsText.js	
	PropertiesDetailCalculatedFields.js	
	PropertyDropDown.html	
	PropertyDropDown.js	
	PropertyStore.js	
	QueryBuilderMain.js	
	quickform.css	
	RangeDetailsView.html	
	RangeDetailsView.js	
	Review.js	
	Rhino.Etl.Core.dll	1.2.5.0
	Sage.Common.Syndication.dll	1.0.5.261
	Sage.js	
	Sage.js.uncompressed.js	
	Sage.Platform.BundleModel.dll	8.2.0.1211
	Sage.Platform.Configuration.dll	8.2.0.1211
	Sage.Platform.dll	8.2.0.1211
	Sage.Platform.FileSystem.dll	8.2.0.1211
	Sage.Platform.Mashups.Web.dll	8.2.0.1211
	Sage.Platform.Orm.CodeGen.dll	8.2.0.1211
	Sage.Platform.Projects.dll	8.2.0.1211
	Sage.Platform.QuickForms.dll	8.2.0.1211
	Sage.Platform.SDataServices.dll	8.2.0.1211
	Sage.Platform.VirtualFileSystem.dll	8.2.0.1211
	Sage.Platform.WebPortal.Design.dll	8.2.0.1211

File Name	File Contents	File Version
	Sage.Platform.WebPortal.dll	8.2.0.1211
	Sage.SalesLogix.Activity.dll	8.2.0.1211
	Sage.SalesLogix.BusinessRules.dll	8.2.0.1211
	Sage.SalesLogix.Client.GroupBuilder.dll	8.2.0.1211
	Sage.SalesLogix.Client.IntegrationContract.Modules.dll	8.2.0.1211
	Sage.SalesLogix.dll	8.2.0.1211
	Sage.SalesLogix.GlobalCrmContractAdapter.dll	8.2.0.1211
	Sage.SalesLogix.HighLevelTypes.dll	8.2.0.1211
	Sage.SalesLogix.IntegrationContract.SyncEngine.dll	8.2.0.1211
	Sage.SalesLogix.PickLists.dll	8.2.0.1211
	Sage.SalesLogix.QuickForms.QFControls.dll	8.2.0.1211
	Sage.SalesLogix.SchemaSupport.dll	8.2.0.1211
	Sage.SalesLogix.Security.dll	8.2.0.1211
	Sage.SalesLogix.Services.Integration.dll	8.2.0.1211
	Sage.SalesLogix.System.dll	8.2.0.1211
	Sage.SalesLogix.SystemAdapter.dll	8.2.0.1211
	Sage.SalesLogix.Utility.dll	8.2.0.1211
	Sage.SalesLogix.Web.Controls.dll	8.2.0.1211
	Sage.SalesLogix.Web.dll	8.2.0.1211
	Sage_ar.js	
	Sage_ca.js	
	Sage_cs.js	
	Sage_da.js	
	Sage_de.js	
	Sage_el.js	
	Sage_en-gb.js	
	Sage_en-us.js	
	Sage_es-es.js	
	Sage_fi-fi.js	
	Sage_fr-fr.js	
	Sage_he-il.js	
	Sage_hu.js	
	Sage_it-it.js	
	Sage_ja-jp.js	
	Sage_ko-kr.js	
	Sage_nb.js	
	Sage_nl-nl.js	
	Sage_pl.js	
	Sage_pt-br.js	

File Name	File Contents	File Version
	Sage_pt-pt.js	
	Sage_ROOT.js	
	Sage_ru.js	
	Sage_sk.js	
	Sage_sl.js	
	Sage_sv.js	
	Sage_th.js	
	Sage_tr.js	
	Sage_zh-cn.js	
	Sage_zh-tw.js	
	Sage-Combined.js	
	sage-platform-tabworkspace.js	
	Saleslogix.Import.dll	8.2.0.1211
	Saleslogix.SData.Client.dll	2.0.1.1555
	sdata-client.js	
	sdata-client-debug.js	
	SDataServiceRegistry.js	
	SecAc5b387168-a969-413c-9ccc-985cb7e7a146.xml	
	SecAcb2b998a9-3076-467e-b382-f7e551ca0df9.xml	
	SingleSelectPickList.js	
	SlxLink.js	
	TimeZoneItem.js	
	Tree.less	
	UpdateOpportunities.js	
	USERINTEGRATIONMAP.EMAILADDRESS.xml	
	UserIntegrationMap.USERINTEGRATIONMAP.entity.xml	
	UserLookupDetailsView.html	
	UserLookupDetailsView.js	
	variables.less	
	WinAuthLoad.aspx	

File Name	File Contents	File Version
VFS Bundle Actions	Create Database Object Definition <ul style="list-style-type: none"> ■ DeleteMyOutlook Templates ■ Trigger: MSSQL: ADDRESS_INTEGRATION_CHANGE ■ Trigger: MSSQL: ADDRESS_INTEGRATION_CHANGE_A ■ Trigger:Oracle: USERACTIVITY_AFTER_DELETE ■ Trigger: MSSQL: USERACTIVITY_INTEGRATION_CHANGE ■ Trigger: MSSQL: USERACTIVITY_INTEGRATION_CHANGE_A ■ View: (MSSQL): PickListItemView: Add Filter Column ■ View: (Oracle): PickListItemView: Add Filter Column 	
	Schema changes Create Field <ul style="list-style-type: none"> ■ USERINTEGRATIONMAP.EMAILADDRESS ■ INTEGRATION.VERSION Insert Record(s) <ul style="list-style-type: none"> ■ CALCULATEDFIELDDATA ■ IMPORTTEMPLATE 	

File Name	File Contents	File Version
	<p>Add Secured Action(s)</p> <p>SecAc5b387168-a969-413c-9ccc-985cb7e7a146.xml</p> <ul style="list-style-type: none"> ■ Entities: ACI/Add ■ Entities: ACI/Delete ■ Entities: ACI/Edit ■ Entities: ACI/View ■ Administration: EntityManager/Filters/Add ■ Administration: EntityManager/Entities/View ■ Administration: EntityManager/Filters/Edit ■ Administration: EntityManager/Filters/Delete ■ Administration: EntityManager/Fields/Add ■ Administration: EntityManager/Fields/Edit ■ Administration: EntityManager/Fields/Delete ■ Entities/Account/BulkUpdate ■ Entities/Contact/BulkUpdate ■ Entities/Lead/BulkUpdate ■ Entities/Opportunity/BulkUpdate ■ Entities/Campaign/BulkUpdate ■ Entities/Ticket/BulkUpdate ■ Entities/Defect/BulkUpdate ■ Entities/Return/BulkUpdate ■ Entities/Contract/BulkUpdate ■ Entities/SalesOrder/BulkUpdate ■ Entities/User/BulkUpdate ■ Entities/Team/BulkUpdate ■ Entities/Department/BulkUpdate ■ Entities/Product/BulkUpdate ■ Entities/Package/BulkUpdate ■ Entities/Competitor/BulkUpdate ■ Entities/LeadSource/BulkUpdate ■ Entities/Qualification/BulkUpdate 	

File Name	File Contents	File Version
	<ul style="list-style-type: none"> ■ Entities/Account/BulkDelete ■ Entities/Contact/BulkDelete ■ Entities/Opportunity/BulkDelete ■ Entities/Lead/BulkDelete ■ Entities/Campaign/BulkDelete ■ Entities/Ticket/BulkDelete ■ Entities/Defect/BulkDelete ■ Entities/Return/BulkDelete ■ Entities/Contract/BulkDelete ■ Entities/SalesOrder/BulkDelete ■ Entities/Product/BulkDelete ■ Entities/Package/BulkDelete ■ Entities/Competitor/BulkDelete ■ Entities/LeadSource/BulkDelete ■ Entities/Qualification/BulkDelete ■ Entities/ACI/BulkDelete ■ Entities/ACI/Import <p>SecAc545bd3de-a9a5-4f3c-a1da-b85a5b44ae84.xml</p> <ul style="list-style-type: none"> ■ Entities/ACI/BulkUpdate 	
	<p>Install Plugin</p> <ul style="list-style-type: none"> ■ Group: AREACATEGORYISSUE: All Area Category Issue (8.201) ■ Group: AREACATEGORYISSUE: AreasWithoutCategories (8.201) ■ Group: AREACATEGORYISSUE: AreasWithoutIssues (8.201) ■ Group: AREACATEGORYISSUE: CategoriesWithoutIssues (8.201) ■ Group: INTEGRATION: AllIntegrations (8.201) 	

Chapter 2

Applying the Update

2

This Web Core Update affects the following portals:

- Process Host
- SData
- Web Client
- Offline Web Client
- Customer Portal
- SDataCustomerPortal
- SLXJobService

Install this Update to all computers where the following components have already been installed:

- Administrative Tools and Servers
- Application Architect
- Remote Office
- Web Host



Install the ICRM v8.2.0 VFS Web Core Update 01.zip bundle using the Application Architect, and then build and deploy your Web site(s).

To begin the install

1. Close all Infor CRM applications on the computer to which you are applying the Update.
2. Stop all Infor CRM (Saleslogix) services on the computer to which you are applying the Update in the following order:
 - Saleslogix Cache Server
 - Saleslogix DBEventing
 - Saleslogix Job Service
 - Saleslogix Messaging Server
 - Saleslogix SData Synchronization Server
 - Saleslogix SpeedSearch
 - Saleslogix Synchronization Service
 - Saleslogix Server
 - Saleslogix System Service

3. Extract the contents of the **Infor_CRM_v820_Web_Core_Update_01.zip** file to a temporary folder.
4. Navigate to the folder where you extracted the Update files and double-click **Infor_CRM_v820_Web_Core_Update_01.exe**.
5. On the **Infor CRM v8.2.0 Web Core Update 01** screen do the following:
 - a. Select the **Extract and Install the Update** option. The Update files, including the VFS bundle, are extracted to the location you specify. The files are not removed once the installation is complete. Selecting the other option prevents the VFS bundle from being available after the patch is installed, because the files are then deleted.
 - b. Click **Change** to select the location where you want to store the update files.
 There is a folder path character limitation that requires the path where you save or copy bundles that are created in the Application Architect to be 57 characters or less (including the drive name).
6. Click **Next**.
7. On the **Welcome** screen, click **Install** to install the patch.
8. If prompted to reboot, click **OK** to allow the reboot.
9. On the **Completed** screen, click **Finished**.
10. Restart the Infor CRM (Saleslogix) services stopped in step 2. Restart the Saleslogix System Service last.

Installing VFS bundles

Install VFS .zip bundles using the Application Architect.

To install the bundle

1. Ensure you have **Write** permissions to the bundle installation folder. Check permissions on the Security tab on the folder properties.
2. Open the **Application Architect**.
3. On the **View** menu, click **Bundle Manager**.
4. Click **Install**.
5. Select **Filename** and navigate to the folder where you extracted the Update files, click **ICRM v8.2.0 VFS Web Core Update 01.zip**, and then click **Open**.
6. On the **Select Bundle** screen, click **Next**.
7. On the **Select Items** screen, ensure the **Portals** option is selected.
8. Click **Next**, and then click **Finish**.

Building and deploying the Web changes

To make your changes available, you must build and deploy the Web portal(s).

To build and deploy

1. In the **Project Explorer**, click the project.
2. Press and hold the **CTRL** key, and then on the **Build** menu, click **Build Web Platform**. All the files in the entire assembly for the current project are compiled. Status for the build is displayed in the Output Window at the bottom of the screen.
3. When the build is complete, on the **View** menu, click **Deployment Explorer**.

4. Expand **Deployments**.
5. Double-click the portal to deploy.
6. Under **Deployment Targets**, right-click the target portal, and click **Deploy Portal**.
View the status of the deployment in the Output window.



- By default, the Web Client portal is set to deploy to the localhost, but you can change these settings to fit your environment.
 - Changes will not be visible to the Offline Web Client and/or Web remote Office until after the next Sync cycle.
7. Repeat steps 1-6 for each of the affected portals.

