Applying Hot Fix 47 for Sage SalesLogix Version 7.5.1

Version 7.5.1.47

Developed by Sage SalesLogix User Assistance

Applying Hot Fix 47 for Sage SalesLogix Version 7.5.1

Version

Version 7.5.1.47
2009

Applying Hot Fix 47 for Sage SalesLogix Version 7.5.1

This hot fix addresses the following issues:

Defect	Description
1-72492	Web: Localized Web host caches translated filter names when first accessed, forcing a reset of IIS for subsequent users to see their language.

This hot fix requires version 7.5.1 and 7.5.1 HF 6, 7.5.1 HF 30 and 7.5.1 HF 38. Do not install this hot fix on any other Sage SalesLogix version. Contact your support representative or go to http://support.saleslogix.com to obtain the hot fix.

File Information

File Name	File Contents
SLX_v751_HF47.zip	Sage SalesLogix v7.5.1 HF47 VFS Upgrade.zip
Sage SalesLogix v7.5.1 HF47 VFS Upgrade.zip	Sage.SalesLogix.Client.Groupbuilder.dll

Applying the Hot Fix

Ensure you have applied 7.5.1 HF 6, 7.5.1 HF 30 and 7.5.1 HF 38 prior to installing this hot fix. Then, install the bundle using the Application Architect and build and deploy your Web site(s).

Note   Before installing the bundle, review the files included in the hotfix. Backup any customized files that may be affected, or backup the whole project if there are many files. Then apply the hot fix bundle in one of the following ways:

- Manually merge the hotfix items with the customized items.
- Apply the bundle (overwriting all existing items), and then manually merge the customized items.

To install the bundle

1. Copy **SLX_v751_HF47.zip** to your local machine and unzip it.

Note   There is a folder path character limitation that requires the path where you save or copy bundles that are created in the Application Architect to be 57 characters or less (including the drive name).

2. Ensure you have **Write** permissions to the bundle installation folder.

   Check permisisons on the Security tab in the folder properties.

3. Open the **Application Architect**.

4. In the **Project Explorer**, right-click the project, and then click **Install Bundle**.
5. Browse to the folder where you unzipped the hot fix files, click **Sage SalesLogix v7.5.1 HF47 VFS Upgrade.zip**, and then click **Open**.
6. On the **Select Bundle** screen, click **Next**.
7. On the **Select Items** screen, ensure the **Portals** option is selected.
8. Click **Next**, and then click **Finish**.

To build and deploy the Web site

1. In the **Project Explorer**, click the project.
2. Press and hold the **CTRL** key, and then on the **Build** menu, click **Build Web Platform**.
   All the files in the entire assembly for the current project are compiled. Status for the build is displayed in the Output Window at the bottom of the screen.
1. On the **View** menu, click **Deployment Explorer**.
2. Expand **Deployments**.
3. Double-click the portal to deploy.
4. Under **Deployment Targets**, right-click the target portal, and click **Deploy Portal**.
   A status box appears indicating status for the deployment.
5. Repeat these steps for each of the affected portals.

Note   By default, the Sage SalesLogix Web Client portal is set to deploy to the localhost, but you can change these settings to fit your environment.